



eSA Instrument & Percussion Size for V1.1

Document Number : **AP-eSA-0011-v1**
 Date of Issue : **24 February 2004**
 Issue Version : **1**
 Supported Chips : **eSA015 ~ eSA120**
 Applicable Software : **Ver:1.1**

1.0 Instrument Size List:

No.	Instrument Name	H				M				L			
		Pitch	Env	Size	Sum	Pitch	Env	Size	Sum	Pitch	Env	Size	Sum
0	Acoustic Grand Piano	C3	4	9856	27520	F#2	4	7168	17408	C#2	4	7552	21760
		C4	4	7552		F#3	4	4480		C#3	4	6912	
		C5	5	6784		F#4	5	3456		C#4	5	3840	
		C6	0	3328		F#5	0	2304		C#5	0	3456	
1	Bright Acoustic Piano	C3	4	3456	8192	F#2	x	0	8960	C#2	x	0	4736
		C4	4	2176		F#3	4	4096		C#3	4	2048	
		C5	5	1408		F#4	5	3072		C#4	5	1792	
		C6	5	1152		F#5	5	1792		C#5	5	896	
2	Electric Grand Piano	C3	8	12672	22400	F#2	8	1664	5120	C#2	8	12032	17024
		C4	8	5120		F#3	8	1792		C#3	8	3456	
		C5	8	2944		F#4	8	1024		C#4	8	896	
		C6	8	1664		F#5	8	640		C#5	8	640	
3	Honky-Tonk Piano	C3	6	3968	8576	F#2	x	0	5888	C#2	x	0	3712
		C4	6	1920		F#3	6	2304		C#3	6	1920	
		C5	6	1024		F#4	6	1408		C#4	6	1024	
		C6	6	1664		F#5	6	2176		C#5	6	768	
4	Rhodes Piano	C3	4	1920	4352	F#2	x	0	2304	C#2	x	0	2304
		C4	4	896		F#3	4	1024		C#3	4	1152	
		C5	4	896		F#4	4	640		C#4	4	512	
		C6	4	640		F#5	4	640		C#5	4	640	
5	Chorused Piano	C3	x	0	3712	F#2	4	1920	4864	C#2	4	3328	7040
		C4	4	1920		F#3	4	1536		C#3	4	2176	
		C5	4	1024		F#4	4	896		C#4	4	896	
		C6	4	768		F#5	4	512		C#5	4	640	



eSA Series

APPLICATION NOTES

6	Harpisichord	C3	8	2560	5760	F#2	8	1792	4352	C#2	8	1408	3328
		C4	8	1408		F#3	8	1024		C#3	8	896	
		C5	8	1152		F#4	8	896		C#4	8	640	
		C6	8	640		F#5	8	640		C#5	8	384	
7	Clavinet	C3	5	1664	10112	F#2	x	0	1536	C#2	5	1920	4480
		C4	5	896		F#3	5	640		C#3	5	1280	
		C5	5	1024		F#4	5	512		C#4	5	640	
		C6	5	768		F#5	5	384		C#5	5	640	
8	Celesta	C3	x	0	4096	F#2	x	0	3328	C#2	x	0	10624
		C4	4	1664		F#3	4	1664		C#3	4	8576	
		C5	4	1280		F#4	4	1024		C#4	4	1152	
		C6	4	1152		F#5	4	640		C#5	4	896	
9	Glockenspiel	C3	14	16128	34048	F#2	14	12160	25728	C#2	4	8320	18048
		C4	14	9344		F#3	14	7040		C#3	4	4736	
		C5	14	4736		F#4	14	3584		C#4	4	2816	
		C6	14	3840		F#5	14	2944		C#5	5	2176	
10	Music Box	C3	0	12544	21504	F#2	x	0	11776	C#2	x	0	9088
		C4	0	4864		F#3	0	6656		C#3	0	4864	
		C5	8	2688		F#4	8	3072		C#4	8	2816	
		C6	8	1408		F#5	8	2048		C#5	8	1408	
11	Vibraphone	C3	9	11136	18688	F#2	x	0	4864	C#2	x	0	6144
		C4	9	3968		F#3	9	2432		C#3	9	2944	
		C5	9	2560		F#4	9	1536		C#4	9	1792	
		C6	9	1024		F#5	9	896		C#5	9	1408	
12	Marimba	C3	9	3968	5248	F#2	9	3456	6400	C#2	x	0	2560
		C4	9	640		F#3	9	1536		C#3	9	1408	
		C5	9	384		F#4	9	896		C#4	9	640	
		C6	9	256		F#5	9	512		C#5	9	512	
13	Xylophone	C3	x	0	3200	F#2	x	0	1664	C#2	x	0	1664
		C4	9	1536		F#3	x	x		C#3	x	0	
		C5	9	896		F#4	9	1024		C#4	9	1024	
		C6	9	768		F#5	9	640		C#5	9	640	
14	Tubular Bells	C3	6	16896	38656	F#2	14	17024	34816	C#2	14	17024	32768
		C4	0	10624		F#3	14	9344		C#3	14	8064	
		C5	0	6784		F#4	14	5120		C#4	14	4864	
		C6	0	4352		F#5	0	3328		C#5	0	2816	



eSA Series

APPLICATION NOTES

15	Dulcimer	C3	8	2944	8832	F#2	x	0	4480	C#2	x	0	4224
		C4	8	2816		F#3	8	2048		C#3	8	2176	
		C5	8	1792		F#4	8	1408		C#4	8	1152	
		C6	8	1280		F#5	8	1024		C#5	8	896	
16	Hammond Organ	C3	x	0	3712	F#2	x	0	2816	C#2	x	0	2304
		C4	11	2048		F#3	11	1536		C#3	11	1152	
		C5	11	1024		F#4	11	768		C#4	11	640	
		C6	11	640		F#5	11	512		C#5	11	512	
17	Percussive Organ	C3	x	0	5376	F#2	x	0	2816	C#2	x	0	2688
		C4	13	2304		F#3	13	1536		C#3	13	1152	
		C5	13	1920		F#4	13	896		C#4	13	1024	
		C6	13	1152		F#5	13	384		C#5	13	512	
18	Rock Organ	C3	x	0	5376	F#2	x	0	3456	C#2	x	0	2432
		C4	13	2304		F#3	13	1664		C#3	13	1280	
		C5	13	1792		F#4	13	896		C#4	13	640	
		C6	13	1280		F#5	13	896		C#5	13	512	
19	Church Organ	c3	x	0	7936	F#2	13	4096	8064	C#2	x	0	4480
		C4	13	3200		F#3	13	1536		C#3	13	1152	
		C5	13	2944		F#4	13	1536		C#4	13	2048	
		C6	13	1792		F#5	13	896		C#5	13	1280	
20	Reed Organ	C3	13	6784	11904	F#2	x	0	3200	C#2	x	0	2304
		C4	13	1792		F#3	13	1280		C#3	13	896	
		C5	13	1792		F#4	13	1024		C#4	13	768	
		C6	13	1536		F#5	13	896		C#5	13	640	
21	Accordion	C3	10	4864	9984	F#2	x	0	3712	C#2	x	0	3456
		C4	10	2560		F#3	10	1792		C#3	13	1920	
		C5	10	1408		F#4	10	1152		C#4	13	1024	
		C6	10	1152		F#5	10	768		C#5	13	512	
22	Harmonica	C3	10	2048	7168	F#2	10	2432	5632	C#2	x	0	2944
		C4	10	2432		F#3	10	1664		C#3	10	1152	
		C5	10	1664		F#4	10	896		C#4	10	1024	
		C6	10	1024		F#5	10	640		C#5	10	768	
23	Tango Accordion	C3	10	512	7296	F#2	x	0	3840	C#2	10	3328	8576
		C4	10	3200		F#3	10	2048		C#3	10	2560	
		C5	10	1920		F#4	10	1152		C#4	10	1664	
		C6	10	1664		F#5	10	640		C#5	10	1024	



eSA Series

APPLICATION NOTES

24	Acoustic Nylon Guitar	C3	4	2176	6272	F#2	4	2304	4736	C#2	x	0	3840
		C4	4	1792		F#3	4	1152		C#3	4	1792	
		C5	4	1408		F#4	4	768		C#4	4	1152	
		C6	4	896		F#5	4	512		C#5	4	896	
25	Acoustic Steel Guitar	C3	7	2560	7040	F#2	7	2944	5880	C#2	x	0	3712
		C4	7	1920		F#3	7	1280		C#3	7	1920	
		C5	7	1408		F#4	7	1024		C#4	7	1024	
		C6	7	1152		F#5	7	640		C#5	7	768	
26	Electric Jazz Guitar	C3	7	3712	8064	F#2	7	1536	4224	C#2	7	1792	4096
		C4	7	2304		F#3	7	1152		C#3	7	1152	
		C5	7	1152		F#4	7	896		C#4	7	640	
		C6	7	896		F#5	7	640		C#5	7	512	
27	Electric clean Guitar	C3	6	1408	6016	F#2	x	0	3584	C#2	6	2304	5376
		C4	6	2176		F#3	6	1664		C#3	6	1536	
		C5	6	1408		F#4	6	1152		C#4	6	768	
		C6	6	1024		F#5	6	768		C#5	6	768	
28	Electric Muted Guitar	C3	3	1792	7168	F#2	x	0	2816	C#2	3	1408	3584
		C4	3	2688		F#3	3	1152		C#3	3	1024	
		C5	3	1664		F#4	3	896		C#4	3	640	
		C6	3	1024		F#5	3	768		C#5	3	512	
29	Overdriven Guitar	C3	6	1792	6528	F#2	6	2304	5248	C#2	6	2176	4480
		C4	6	2176		F#3	6	1408		C#3	6	1152	
		C5	6	1536		F#4	6	1024		C#4	6	640	
		C6	6	1024		F#5	6	512		C#5	6	512	
30	Distortion Guitar	C3	5	1536	4608	F#2	5	1792	4480	C#2	5	1664	3968
		C4	5	1536		F#3	5	1280		C#3	5	896	
		C5	5	1024		F#4	5	896		C#4	5	896	
		C6	5	512		F#5	5	512		C#5	5	512	
31	Guitar Harmonics	C3	3	1024	2048	F#2	x	0	1920	C#2	3	1024	2944
		C4	3	640		F#3	3	1024		C#3	3	512	
		C5	3	384		F#4	3	512		C#4	3	640	
		C6	x	0		F#5	3	384		C#5	3	768	
32	Acoustic Bass	C3	8	3328	6656	F#2	8	3584	6784	C#2	x	0	3456
		C4	8	1792		F#3	8	1664		C#3	8	1792	
		C5	8	896		F#4	8	896		C#4	8	1024	
		C6	8	640		F#5	8	640		C#5	8	640	



eSA Series

APPLICATION NOTES

33	Electric Bass Fingered	C3	8	2688	5888	F#2	8	1408	4352	C#2	8	512	1792
		C4	8	1408		F#3	8	1536		C#3	8	512	
		C5	8	1152		F#4	8	896		C#4	8	384	
		C6	8	640		F#5	8	512		C#5	8	384	
34	Electric Bass Picked	C3	8	896	2304	F#2	8	768	1920	C#2	8	640	1536
		C4	8	640		F#3	8	512		C#3	8	384	
		C5	8	384		F#4	8	384		C#4	8	256	
		C6	8	384		F#5	8	256		C#5	8	256	
35	Fretless Bass	C3	4	2304	4864	F#2	4	1792	3840	C#2	4	1024	2560
		C4	4	1280		F#3	4	1024		C#3	4	640	
		C5	4	768		F#4	4	640		C#4	4	512	
		C6	4	512		F#5	4	384		C#5	4	384	
36	Slap Bass1	C3	4	2304	5248	F#2	4	1920	4096	C#2	4	2048	3840
		C4	4	1536		F#3	4	1152		C#3	4	1024	
		C5	4	768		F#4	4	640		C#4	4	384	
		C6	4	640		F#5	4	384		C#5	4	384	
37	Slap Bass2	C3	8	2048	4736	F#2	x	0	1920	C#2	8	1152	2944
		C4	8	1152		F#3	8	896		C#3	8	768	
		C5	8	1024		F#4	8	512		C#4	8	512	
		C6	8	512		F#5	8	512		C#5	8	512	
38	Synth Bass1	C3	8	3072	6528	F#2	8	3968	8448	C#2	8	3072	6784
		C4	8	1664		F#3	8	2304		C#3	8	1920	
		C5	8	1024		F#4	8	1408		C#4	8	1152	
		C6	8	768		F#5	8	768		C#5	8	640	
39	Synth Bass2	C3	x	0	7552	F#2	8	5120	11392	C#2	8	3456	7680
		C4	8	3328		F#3	8	2688		C#3	8	1920	
		C5	8	2432		F#4	8	1920		C#4	8	1280	
		C6	8	1792		F#5	8	1664		C#5	8	1024	
40	Violin	C3	13	1920	4736	F#2	13	1024	2944	C#2	x	0	2048
		C4	13	896		F#3	13	640		C#3	13	896	
		C5	13	1024		F#4	13	640		C#4	13	640	
		C6	13	896		F#5	13	640		C#5	13	512	
41	Viola	C3	10	2688	6272	F#2	X	0	2432	C#2	10	1536	3840
		C4	10	1408		F#3	10	1024		C#3	10	1024	
		C5	10	1536		F#4	10	896		C#4	10	640	
		C6	10	640		F#5	10	512		C#5	10	640	



eSA Series

APPLICATION NOTES

42	Cello	C3	13	1152	2560	F#2	13	1024	2176	C#2	13	768	1664
		C4	13	512		F#3	13	384		C#3	13	384	
		C5	13	384		F#4	13	384		C#4	13	256	
		C6	13	512		F#5	13	384		C#5	13	256	
43	Contrabass	C3	10	2048	4224	F#2	x	0	1792	C#2	10	1536	3712
		C4	10	1152		F#3	10	896		C#3	10	1152	
		C5	10	640		F#4	10	512		C#4	10	640	
		C6	10	384		F#5	10	384		C#5	10	384	
44	Tremolo Strings	C3	13	3968	9088	F#2	x	0	115712	C#2	10	33792	135168
		C4	13	1792		F#3	2	38528		C#3	10	32896	
		C5	13	1792		F#4	2	38656		C#4	10	35712	
		C6	13	1536		F#5	2	38528		C#5	10	32768	
45	Pizzicato String	C3	7	3456	9344	F#2	7	3712	7936	C#2	4	2560	5632
		C4	7	2432		F#3	7	2048		C#3	7	1280	
		C5	7	1920		F#4	7	1280		C#4	7	1024	
		C6	7	1536		F#5	7	896		C#5	7	768	
46	Harp	C3	5	4224	9472	F#2	5	2560	6272	C#2	5	2048	4608
		C4	5	2176		F#3	5	1792		C#3	5	1152	
		C5	5	1664		F#4	5	1152		C#4	5	768	
		C6	5	1408		F#5	5	768		C#5	5	640	
47	Timpani	C3	4	6912	15232	F#2	4	5248	11648	C#2	4	3712	8320
		C4	4	3968		F#3	4	3072		C#3	4	2176	
		C5	5	3072		F#4	5	2304		C#4	5	1664	
		C6	5	1280		F#5	5	1024		C#5	0	768	
48	String Ensemble 1	C3	13	41088	158660	F#2	13	30848	119168	C#2	13	24704	82176
		C4	13	38528		F#3	13	28928		C#3	13	17920	
		C5	10	39552		F#4	10	29696		C#4	10	19840	
		C6	10	39552		F#5	10	29696		C#5	10	19712	
49	String Ensemble 2	C3	14	67456	260224	F#2	11	48768	187136	C#2	11	33792	131456
		C4	14	67200		F#3	11	45440		C#3	11	33792	
		C5	14	65024		F#4	11	42496		C#4	11	33792	
		C6	14	60544		F#5	11	50432		C#5	11	30080	
50	Synth Strings 1	C3	14	67456	242176	F#2	13	45440	169856	C#2	13	33280	118400
		C4	14	52992		F#3	13	41088		C#3	13	26496	
		C5	14	55168		F#4	13	37120		C#4	13	32256	
		C6	14	66560		F#5	13	46208		C#5	13	26368	



eSA Series

APPLICATION NOTES

51	Synth Strings 2	C3	11	61952	230144	F#2	11	46464	177024	C#2	11	30464	112000
		C4	11	55040		F#3	11	43520		C#3	11	27392	
		C5	11	55168		F#4	11	43520		C#4	11	27264	
		C6	11	57984		F#5	11	43520		C#5	11	26880	
52	Choir Aahs	C3	13	54016	219776	F#2	13	39680	158336	C#2	13	27136	110208
		C4	13	59648		F#3	13	41088		C#3	13	29824	
		C5	13	55296		F#4	13	36096		C#4	13	27776	
		C6	11	50816		F#5	13	41472		C#5	13	25472	
53	Voice Oohs	C3	14	54656	210048	F#2	14	39680	158976	C#2	14	25216	100608
		C4	14	54272		F#3	14	40576		C#3	14	24960	
		C5	14	49792		F#4	14	37376		C#4	14	25216	
		C6	13	51328		F#5	14	41344		C#5	14	25216	
54	Synth Voice	C3	13	54656	224256	F#2	11	40704	162048	C#2	11	27776	110592
		C4	13	55168		F#3	11	41472		C#3	11	27776	
		C5	13	56576		F#4	11	38528		C#4	11	27776	
		C6	13	57856		F#5	11	41344		C#5	11	27264	
55	Orchestra Hit	C3	11	39936	101376	F#2	14	28416	76032	C#2	11	20096	51200
		C4	11	35328		F#3	14	26496		C#3	11	17792	
		C5	14	16384		F#4	14	12544		C#4	14	8320	
		C6	14	9728		F#5	14	8576		C#5	14	4992	
56	Trumpet	C3	12	2176	5248	F#2	12	1664	3712	C#2	x	0	2560
		C4	12	1280		F#3	12	768		C#3	12	1152	
		C5	12	1280		F#4	12	640		C#4	12	768	
		C6	12	512		F#5	12	640		C#5	12	640	
57	Trombone	C3	12	3072	7296	F#2	12	1280	4224	C#2	x	0	2944
		C4	12	1792		F#3	12	1152		C#3	12	1280	
		C5	12	1408		F#4	12	1024		C#4	12	896	
		C6	12	1024		F#5	12	768		C#5	12	768	
58	Tuba	C3	12	2048	5376	F#2	x	0	1920	C#2	12	1536	3456
		C4	12	1280		F#3	12	1024		C#3	12	896	
		C5	12	1280		F#4	12	512		C#4	12	640	
		C6	12	768		F#5	12	384		C#5	12	384	
59	Muted Trumpet	C3	12	1920	5888	F#2	x	0	3072	C#2	12	2176	4992
		C4	12	1920		F#3	12	1408		C#3	12	1280	
		C5	12	1152		F#4	12	1024		C#4	12	1024	
		C6	12	896		F#5	12	640		C#5	12	512	



eSA Series

APPLICATION NOTES

60	French Horn	C3	12	4736	11008	F#2	12	4096	9216	C#2	12	3584	7680
		C4	12	3584		F#3	12	2688		C#3	12	2176	
		C5	12	1792		F#4	12	1536		C#4	12	1280	
		C6	12	896		F#5	12	896		C#5	12	640	
61	Brass Section	C3	10	34944	139648	F#2	10	26240	106112	C#2	10	17792	71168
		C4	10	35072		F#3	10	26368		C#3	10	17792	
		C5	10	35584		F#4	10	26752		C#4	10	17792	
		C6	10	34048		F#5	10	26752		C#5	10	17792	
62	Synth Brass 1	C3	14	35840	143744	F#2	14	26880	109824	C#2	14	17792	71168
		C4	10	34432		F#3	14	25856		C#3	14	17792	
		C5	10	38144		F#4	14	28672		C#4	14	17792	
		C6	11	35328		F#5	14	28416		C#5	14	17792	
63	Synth Brass 2	C3	14	34304	140928	F#2	11	28672	105856	C#2	11	17792	71168
		C4	14	38144		F#3	11	25728		C#3	11	17792	
		C5	14	32384		F#4	11	24320		C#4	11	17792	
		C6	14	36096		F#5	11	27136		C#5	11	17792	
64	Soprano Sax	C3	13	2432	6272	F#2	11	2176	4864	C#2	11	1536	3712
		C4	13	1536		F#3	11	1152		C#3	11	896	
		C5	13	1408		F#4	11	896		C#4	11	768	
		C6	13	896		F#5	11	640		C#5	11	512	
65	Alto Sax	C3	11	2304	5248	F#2	11	1792	3968	C#2	11	1152	2816
		C4	11	1408		F#3	11	1024		C#3	11	768	
		C5	11	896		F#4	11	640		C#4	11	512	
		C6	11	640		F#5	11	512		C#5	11	384	
66	Tenor Sax	C3	11	1920	4224	F#2	11	1152	2816	C#2	x	0	1792
		C4	11	768		F#3	11	512		C#3	11	768	
		C5	11	896		F#4	11	512		C#4	11	512	
		C6	11	640		F#5	11	640		C#5	11	512	3072
67	Baritone Sax	C3	13	1536	4736	F#2	13	1152	3584	C#2	x	0	3200
		C4	13	1664		F#3	13	1024		C#3	13	1664	
		C5	13	1024		F#4	13	896		C#4	13	896	
		C6	13	512		F#5	13	512		C#5	13	640	
68	Oboe	C3	11	2176	5504	F#2	11	2048	4736	C#2	11	1664	3712
		C4	11	1664		F#3	11	1152		C#3	11	896	
		C5	11	1152		F#4	11	768		C#4	11	640	
		C6	11	512		F#5	11	768		C#5	11	512	



eSA Series

APPLICATION NOTES

69	English Horn	C3	11	1792	6272	F#2	x	0	2304	C#2	11	1664	3968
		C4	11	1792		F#3	11	1024		C#3	11	1024	
		C5	11	1664		F#4	11	640		C#4	11	768	
		C6	11	1024		F#5	11	640		C#5	11	512	
70	Bassoon	C3	11	1408	3072	F#2	11	1024	3328	C#2	11	768	2048
		C4	11	640		F#3	11	896		C#3	11	512	
		C5	11	640		F#4	11	896		C#4	11	384	
		C6	11	384		F#5	11	512		C#5	11	384	
71	Clarinet	C3	11	1408	4224	F#2	11	1152	3200	C#2	x	0	2560
		C4	11	1280		F#3	11	896		C#3	11	1280	
		C5	11	768		F#4	11	640		C#4	11	768	
		C6	11	768		F#5	11	512		C#5	11	512	
72	Piccolo	C3	12	2560	7552	F#2	12	2560	5632	C#2	12	1408	4096
		C4	12	2176		F#3	12	1408		C#3	12	1280	
		C5	12	1664		F#4	12	1024		C#4	12	896	
		C6	12	1152		F#5	12	640		C#5	12	512	
73	Flute	C3	12	3072	8320	F#2	12	2048	5504	C#2	x	0	4352
		C4	12	2048		F#3	12	1408		C#3	12	2176	
		C5	12	1664		F#4	12	1152		C#4	12	1152	
		C6	12	1536		F#5	12	896		C#5	12	1024	
74	Recorder	C3	11	1536	4992	F#2	11	2560	5888	C#2	11	2048	4736
		C4	11	1664		F#3	11	1536		C#3	11	1152	
		C5	11	1152		F#4	11	1152		C#4	11	1024	
		C6	11	640		F#5	11	640		C#5	11	512	
75	Pan Flute	C3	11	5248	11136	F#2	x	0	4224	C#2	x	0	4480
		C4	11	3200		F#3	11	2048		C#3	11	2432	
		C5	11	1664		F#4	11	1408		C#4	11	1408	
		C6	11	1024		F#5	11	768		C#5	11	640	
76	Bottle Blow	C3	x	0	5760	F#2	x	0	4992	C#2	11	3456	7808
		C4	11	3072		F#3	11	2688		C#3	11	1920	
		C5	11	1792		F#4	11	1536		C#4	11	1536	
		C6	11	896		F#5	11	768		C#5	11	896	
77	Shakuhachi	C3	11	3200	11776	F#2	x	0	6016	C#2	x	0	4096
		C4	11	3712		F#3	11	2688		C#3	11	1792	
		C5	11	2560		F#4	11	1664		C#4	11	1024	
		C6	11	2304		F#5	11	1664		C#5	11	1280	



eSA Series

APPLICATION NOTES

78	Whistle	C3	x	0	10112	F#2	x	0	3328	C#2	x	0	2816
		C4	11	4992		F#3	x	0		C#3	x	0	
		C5	11	3200		F#4	11	2176		C#4	11	1920	
		C6	11	1920		F#5	11	1152		C#5	11	896	
79	Ocarina	C3	11	640	4608	F#2	x	0	2432	C#2	11	1024	2432
		C4	11	2048		F#3	11	1280		C#3	11	512	
		C5	11	1152		F#4	11	768		C#4	11	512	
		C6	11	768		F#5	11	384		C#5	11	384	
80	Lead 1 (square)	C3	11	768	1792	F#2	11	384	1280	C#2	x	0	1152
		C4	11	384		F#3	11	384		C#3	11	512	
		C5	11	384		F#4	11	256		C#4	11	384	
		C6	11	256		F#5	11	256		C#5	11	256	
81	Lead 2 (sawtooth)	C3	13	1152	2304	F#2	13	896	1920	C#2	11	896	1792
		C4	13	512		F#3	13	384		C#3	13	384	
		C5	13	384		F#4	13	384		C#4	13	256	
		C6	13	256		F#5	13	256		C#5	13	256	
82	Lead 3 (calliope lead) 2s	C3	10	33792	135552	F#2	10	24064	96256	C#2	14	17920	72064
		C4	10	33920		F#3	10	24064		C#3	14	18048	
		C5	10	33920		F#4	10	24064		C#4	14	18048	
		C6	10	33920		F#5	10	24064		C#5	14	18048	
	Lead 3 (calliope lead) 1.5s	C3	10	25600	102144	F#2	10	18048	72192	C#2	6	13568	54272
		C4	13	25472		F#3	10	18048		C#3	6	13568	
		C5	10	25600		F#4	10	18048		C#4	6	13568	
		C6	10	25472		F#5	10	18048		C#5	6	13568	
	Lead 3 (calliope lead) 0.8s	C3	4	13696	54784	F#2	4	9728	38912	C#2	2	7296	29184
		C4	10	13696		F#3	4	9728		C#3	2	7296	
		C5	4	13696		F#4	4	9728		C#4	2	7296	
		C6	4	13696		F#5	4	9728		C#5	2	7296	
	Lead 3 (calliope lead) 0.5s	C3	10	8576	34688	F#2	4	6144	24704	C#2	0	4736	18816
		C4	10	8576		F#3	4	6272		C#3	0	4736	
		C5	10	8704		F#4	4	6144		C#4	0	4608	
		C6	10	8832		F#5	4	6144		C#5	0	4736	
	Lead 3 (calliope lead) 0.25s	C3	10	4480	17664	F#2	10	3200	12800	C#2	0	2432	9728
		C4	10	4352		F#3	10	3200		C#3	0	2432	
		C5	10	4480		F#4	10	3200		C#4	0	2432	
		C6	10	4352		F#5	10	3200		C#5	0	2432	



eSA Series

APPLICATION NOTES

83	Lead 4 (chiff lead) 2s	C3	13	33920	135680	F#2	10	33920	135680	C#2	10	18048	72192
		C4	13	33920		F#3	10	33920		C#3	10	18048	
		C5	10	33920		F#4	10	33920		C#4	10	18048	
		C6	10	33920		F#5	10	33920		C#5	10	18048	
	Lead 4 (chiff lead) 1.5s	C3	13	25472	102016	F#2	13	25472	101888	C#2	10	13568	54272
		C4	13	25472		F#3	13	25472		C#3	10	13568	
		C5	10	25600		F#4	10	25472		C#4	10	13568	
		C6	10	25472		F#5	10	25472		C#5	10	13568	
	Lead 4 (chiff lead) 0.8s	C3	13	13696	54784	F#2	10	13696	54784	C#2	10	7296	29184
		C4	13	13696		F#3	10	13696		C#3	10	7296	
		C5	10	13696		F#4	10	13696		C#4	10	7296	
		C6	10	13696		F#5	10	13696		C#5	10	7296	
	Lead 4 (chiff lead) 0.5s	C3	13	8704	34560	F#2	8	8576	34304	C#2	8	4736	18816
		C4	13	8704		F#3	8	8576		C#3	8	4736	
		C5	10	8576		F#4	8	8576		C#4	8	4608	
		C6	10	8576		F#5	8	8576		C#5	13	4736	
	Lead 4 (chiff lead) 0.25s	C3	13	4352	17536	F#2	14	4480	17920	C#2	8	2432	9728
		C4	13	4480		F#3	14	4480		C#3	8	2432	
		C5	10	4352		F#4	14	4480		C#4	8	2432	
		C6	10	4352		F#5	14	4480		C#5	13	2432	
84	Lead 5 (charang) 2s	C3	10	33920	135680	F#2	10	24064	96256	C#2	10	18048	72192
		C4	10	33920		F#3	10	24064		C#3	14	18048	
		C5	10	33920		F#4	10	24064		C#4	14	18048	
		C6	10	33920		F#5	10	24064		C#5	14	18048	
	Lead 5 (charang) 1.5s	C3	10	25472	101888	F#2	10	18048	72192	C#2	10	13568	54400
		C4	10	25472		F#3	10	18048		C#3	14	13696	
		C5	10	25472		F#4	10	18048		C#4	10	13568	
		C6	10	25472		F#5	10	18048		C#5	14	13568	
	Lead 5 (charang) 0.8s	C3	10	13696	54784	F#2	4	9728	38912	C#2	10	7296	29184
		C4	10	13696		F#3	4	9728		C#3	14	7296	
		C5	10	13696		F#4	4	9728		C#4	14	7296	
		C6	10	13696		F#5	4	9728		C#5	14	7296	
	Lead 5 (charang) 0.5s	C3	7	8832	34816	F#2	4	6144	24576	C#2	10	4736	18944
		C4	7	8704		F#3	4	6144		C#3	10	4736	
		C5	7	8704		F#4	4	6144		C#4	10	4736	
		C6	7	8576		F#5	4	6144		C#5	10	4736	



eSA Series

APPLICATION NOTES

	Lead 5 (charang) 0.25s	C3	7	4480	17664	F#2	7	3200	12800	C#2	10	2432	9728
		C4	3	4480		F#3	7	3200		C#3	10	2432	
		C5	7	4352		F#4	7	3200		C#4	10	2432	
		C6	7	4352		F#5	7	3200		C#5	10	2432	
85	Lead 6 (voice) 2s	C3	10	33920	135680	F#2	13	24064	96256	C#2	14	18048	72192
		C4	10	33920		F#3	13	24064		C#3	14	18048	
		C5	13	33920		F#4	10	24064		C#4	14	18048	
		C6	13	33920		F#5	10	24064		C#5	14	18048	
	Lead 6 (voice) 1.5s	C3	10	25472	101888	F#2	13	18048	72192	C#2	2	13568	54272
		C4	10	25472		F#3	13	18048		C#3	2	13568	
		C5	10	25472		F#4	13	18048		C#4	13	13568	
		C6	10	25472		F#5	13	18048		C#5	13	13568	
	Lead 6 (voice) 0.8s	C3	10	13696	54784	F#2	10	9728	38912	C#2	14	7424	29440
		C4	10	13696		F#3	10	9728		C#3	14	7296	
		C5	13	13696		F#4	10	9728		C#4	14	7424	
		C6	10	13696		F#5	10	9728		C#5	14	7296	
	Lead 6 (voice) 0.5s	C3	10	8576	34560	F#2	9	6144	24576	C#2	14	4736	18816
		C4	10	8704		F#3	9	6144		C#3	14	4608	
		C5	13	8704		F#4	9	6144		C#4	9	4736	
		C6	13	8576		F#5	9	6144		C#5	9	4736	
	Lead 6 (voice) 0.25s	C3	10	4352	17536	F#2	13	3200	12800	C#2	14	2560	9984
		C4	10	4352		F#3	13	3200		C#3	14	2432	
		C5	13	4480		F#4	13	3200		C#4	9	2560	
		C6	13	4352		F#5	13	3200		C#5	9	2432	
86	Lead 7 (fifths) 2s	C3	10	33920	135680	F#2	10	24064	96256	C#2	10	18048	72064
		C4	10	33920		F#3	10	24064		C#3	10	18048	
		C5	10	33920		F#4	10	24064		C#4	10	17920	
		C6	10	33920		F#5	10	24064		C#5	10	18048	
	Lead 7 (fifths) 1.5s	C3	13	25472	102016	F#2	10	18048	72192	C#2	10	13568	54272
		C4	10	25472		F#3	10	18048		C#3	10	13568	
		C5	10	25600		F#4	10	18048		C#4	10	13568	
		C6	10	25472		F#5	10	18048		C#5	10	13568	
	Lead 7 (fifths) 0.8s	C3	10	13696	54784	F#2	13	6272	35456	C#2	10	7296	29312
		C4	10	13696		F#3	13	9728		C#3	10	7424	
		C5	10	13696		F#4	10	9728		C#4	10	7296	
		C6	10	13696		F#5	10	9728		C#5	10	7296	



eSA Series

APPLICATION NOTES

	Lead 7 (fifths) 0.5s	C3	10	8704	34816	F#2	10	9728	28288	C#2	10	4736	18944	
		C4	10	8576		F#3	10	6272		C#3	10	4736		
		C5	10	8704		F#4	10	6144		C#4	10	4736		
		C6	10	8832		F#5	10	6144		C#5	10	4736		
	Lead 7 (fifths) 0.25s	C3	10	4480	17792	F#2	10	3200	12800	C#2	10	2432	9728	
		C4	10	4480		F#3	10	3200		C#3	10	2432		
		C5	10	4352		F#4	10	3200		C#4	10	2432		
		C6	10	4480		F#5	10	3200		C#5	10	2432		
87	Lead 8 (bass + lead) 2s	C3	14	33920	135680	F#2	13	24064	96256	C#2	14	18048	72192	
		C4	14	33920		F#3	13	24064		C#3	14	18048		
		C5	14	33920		F#4	10	24064		C#4	14	18048		
		C6	14	33920		F#5	10	24064		C#5	14	18048		
	Lead 8 (bass + lead) 1.5s	C3	13	25600	102016	F#2	13	18048	72192	C#2	13	13568	54272	
		C4	13	25472		F#3	13	18048		C#3	13	13568		
		C5	13	25472		F#4	13	18048		C#4	13	13568		
		C6	13	25472		F#5	13	18048		C#5	13	13568		
	Lead 8 (bass + lead) 0.8s	C3	4	13696	54784	F#2	4	9728	38912	C#2	14	7296	29184	
		C4	4	13696		F#3	4	9728		C#3	14	7296		
		C5	4	13696		F#4	4	9728		C#4	14	7296		
		C6	4	13696		F#5	4	9728		C#5	14	7296		
	Lead 8 (bass + lead) 0.5s	C3	4	8576	34560	F#2	13	6144	24576	C#2	14	4608	18816	
		C4	4	8576		F#3	13	6144		C#3	4	4736		
		C5	4	8704		F#4	10	6144		C#4	7	4736		
		C6	4	8704		F#5	10	6144		C#5	7	4736		
	Lead 8 (bass + lead) 0.25s	C3	0	4480	17920	F#2	13	3200	12800	C#2	14	2432	9728	
		C4	0	4480		F#3	13	3200		C#3	4	2432		
		C5	0	4480		F#4	13	3200		C#4	7	2432		
		C6	0	4480		F#5	13	3200		C#5	7	2432		
	88	Pad 1 (new age) 2s	C3	10	33920	135552	F#2	13	24064	96256	C#2	14	18048	72192
			C4	10	33792		F#3	13	24064		C#3	14	18048	
			C5	13	33920		F#4	13	24064		C#4	14	18048	
			C6	13	33920		F#5	13	24064		C#5	14	18048	
Pad 1 (new age) 1.5s		C3	10	25472	102016	F#2	13	18048	72192	C#2	13	13568	54400	
		C4	10	25472		F#3	13	18048		C#3	13	13568		
		C5	13	25600		F#4	13	18048		C#4	13	13568		
		C6	13	25472		F#5	10	18048		C#5	13	13696		



eSA Series

APPLICATION NOTES

	Pad 1 (new age) 0.8s	C3	13	13696	55040	F#2	13	9728	35328	C#2	13	7424	29312	
		C4	13	13824		F#3	13	9728		C#3	14	7296		
		C5	13	13824		F#4	13	9728		C#4	14	7296		
		C6	13	13696		F#5	13	6144		C#5	14	7296		
	Pad 1 (new age) 0.5s	C3	13	8576	34560	F#2	13	6144	28160	C#2	13	4736	18688	
		C4	13	8576		F#3	13	6144		C#3	14	4736		
		C5	13	8704		F#4	13	6144		C#4	14	4608		
		C6	13	8704		F#5	6	9728		C#5	14	4608		
	Pad 1 (new age) 0.25s	C3	6	4352	17792	F#2	6	3200	12800	C#2	13	2432	9728	
		C4	6	4480		F#3	6	3200		C#3	14	2432		
		C5	6	4480		F#4	6	3200		C#4	14	2432		
		C6	6	4480		F#5	6	3200		C#5	14	2432		
89	Pad 2 (warm) 2s	C3	13	33920	135680	F#2	13	24064	96256	C#2	14	18048	72192	
		C4	13	33920		F#3	13	24064		C#3	14	18048		
		C5	13	33920		F#4	13	24064		C#4	14	18048		
		C6	13	33920		F#5	13	24064		C#5	14	18048		
	Pad 2 (warm) 1.5s	C3	13	25600	102272	F#2	13	18048	72192	C#2	14	13568	54400	
		C4	13	25600		F#3	13	18048		C#3	14	13568		
		C5	13	25600		F#4	13	18048		C#4	14	13568		
		C6	13	25472		F#5	13	18048		C#5	14	13696		
	Pad 2 (warm) 0.8s	C3	13	13824	54912	F#2	13	9728	38912	C#2	14	7296	29184	
		C4	13	13696		F#3	13	9728		C#3	14	7296		
		C5	13	13696		F#4	13	9728		C#4	14	7296		
		C6	13	13696		F#5	13	9728		C#5	14	7296		
	Pad 2 (warm) 0.5s	C3	14	8704	34688	F#2	14	6144	23680	C#2	14	4736	18816	
		C4	14	8704		F#3	14	6144		C#3	14	4736		
		C5	14	8576		F#4	14	5248		C#4	14	4608		
		C6	14	8704		F#5	14	6144		C#5	14	4736		
	Pad 2 (warm) 0.25s	C3	3	4480	17792	F#2	3	3200	12800	C#2	3	2432	9728	
		C4	3	4480		F#3	3	3200		C#3	3	2432		
		C5	3	4480		F#4	3	3200		C#4	3	2432		
		C6	3	4352		F#5	3	3200		C#5	3	2432		
	90	Pad 3 (polysynth) 2s	C3	10	33920	135552	F#2	13	24064	96256	C#2	14	18048	72320
			C4	10	33920		F#3	13	24064		C#3	14	18176	
			C5	10	33792		F#4	13	24064		C#4	14	18048	
			C6	10	33920		F#5	13	24064		C#5	10	18048	



eSA Series

APPLICATION NOTES

91	Pad 3 (polysynth) 1.5s	C3	10	25472	102144	F#2	10	18048	72192	C#2	14	13568	54272
		C4	10	25472		F#3	10	18048		C#3	14	13568	
		C5	10	25600		F#4	10	18048		C#4	14	13568	
		C6	10	25600		F#5	10	18048		C#5	14	13568	
	Pad 3 (polysynth) 0.8s	C3	10	13696	54912	F#2	14	9600	38784	C#2	14	7296	29184
		C4	10	13696		F#3	14	9728		C#3	14	7296	
		C5	10	13824		F#4	14	9728		C#4	10	7296	
		C6	10	13696		F#5	10	9728		C#5	10	7296	
	Pad 3 (polysynth) 0.5s	C3	10	8704	34560	F#2	14	6144	24576	C#2	14	4608	18688
		C4	10	8576		F#3	14	6144		C#3	14	4736	
		C5	10	8576		F#4	10	6144		C#4	10	4608	
		C6	10	8704		F#5	10	6144		C#5	10	4736	
	Pad 3 (polysynth) 0.25s	C3	10	4352	17792	F#2	13	3200	12800	C#2	3	2432	9728
		C4	10	4480		F#3	13	3200		C#3	3	2432	
		C5	10	4480		F#4	13	3200		C#4	3	2432	
		C6	10	4480		F#5	13	3200		C#5	10	2432	
	Pad 4 (choir) 2s	C3	13	33920	135552	F#2	10	24064	96256	C#2	2	17920	72064
		C4	13	33792		F#3	10	24064		C#3	2	18048	
		C5	13	33920		F#4	10	24064		C#4	2	18048	
		C6	13	33920		F#5	10	24064		C#5	14	18048	
	Pad 4 (choir) 1.5s	C3	13	25600	102272	F#2	10	18048	72320	C#2	13	13568	54272
		C4	13	25600		F#3	10	18176		C#3	13	13568	
		C5	13	25600		F#4	10	18048		C#4	13	13568	
		C6	13	25472		F#5	10	18048		C#5	13	13568	
	Pad 4 (choir) 0.8s	C3	13	13696	54784	F#2	10	9728	38912	C#2	13	7296	29312
		C4	13	13696		F#3	10	9728		C#3	13	7296	
		C5	13	13696		F#4	10	9728		C#4	13	7424	
		C6	13	13696		F#5	10	9728		C#5	14	7296	
	Pad 4 (choir) 0.5s	C3	13	8576	34432	F#2	10	6272	24704	C#2	13	4608	18688
		C4	13	8576		F#3	10	6144		C#3	13	4608	
		C5	13	8576		F#4	10	6144		C#4	13	4736	
		C6	10	8704		F#5	10	6144		C#5	13	4736	
Pad 4 (choir) 0.25s	C3	13	4480	17792	F#2	10	3200	12928	C#2	13	2560	9856	
	C4	13	4480		F#3	10	3328		C#3	13	2432		
	C5	13	4480		F#4	10	3200		C#4	13	2432		
	C6	10	4352		F#5	10	3200		C#5	13	2432		



eSA Series

APPLICATION NOTES

92	Pad 5 (bowed glass) 2s	C3	13	33920	135552	F#2	10	24064	96256	C#2	2	17920	72064
		C4	13	33920		F#3	10	24064		C#3	2	18048	
		C5	13	33920		F#4	10	24064		C#4	2	18048	
		C6	13	33792		F#5	10	24064		C#5	2	18048	
	Pad 5 (bowed glass) 1.5s	C3	13	25472	101632	F#2	13	18048	72192	C#2	2	13568	54272
		C4	13	25472		F#3	13	18048		C#3	2	13568	
		C5	13	25600		F#4	13	18048		C#4	2	13568	
		C6	13	25088		F#5	13	18048		C#5	2	13568	
	Pad 5 (bowed glass) 0.8s	C3	13	13696	54528	F#2	4	9728	38912	C#2	13	7296	29312
		C4	13	13696		F#3	4	9728		C#3	13	7424	
		C5	13	13696		F#4	4	9728		C#4	13	7296	
		C6	13	13440		F#5	4	9728		C#5	13	7296	
	Pad 5 (bowed glass) 0.5s	C3	13	8576	34560	F#2	10	6144	24704	C#2	13	4736	18816
		C4	13	8704		F#3	10	6272		C#3	13	4608	
		C5	13	8704		F#4	10	6144		C#4	13	4736	
		C6	13	8576		F#5	10	6144		C#5	14	4736	
	Pad 5 (bowed glass) 0.25s	C3	14	4480	17664	F#2	14	3200	12928	C#2	13	2432	9728
		C4	14	4352		F#3	14	3200		C#3	13	2432	
		C5	14	4480		F#4	14	3200		C#4	13	2432	
		C6	14	4352		F#5	14	3328		C#5	14	2432	
93	Pad 6 (metallic) 2s	C3	14	33792	135168	F#2	14	23936	95744	C#2	14	18048	72192
		C4	14	33792		F#3	14	23936		C#3	14	18048	
		C5	14	33792		F#4	14	23936		C#4	14	18048	
		C6	14	33792		F#5	14	23936		C#5	14	18048	
	Pad 6 (metallic) 1.5s	C3	6	25344	101376	F#2	14	18048	72192	C#2	6	13568	54272
		C4	6	25344		F#3	14	18048		C#3	6	13568	
		C5	6	25344		F#4	14	18048		C#4	6	13568	
		C6	6	25344		F#5	14	18048		C#5	6	13568	
	Pad 6 (metallic) 0.8s	C3	4	13568	54272	F#2	4	9600	38784	C#2	4	7296	29184
		C4	4	13568		F#3	4	9728		C#3	4	7296	
		C5	5	13568		F#4	5	9728		C#4	5	7296	
		C6	5	13568		F#5	5	9728		C#5	5	7296	
	Pad 6 (metallic) 0.5s	C3	4	8576	34304	F#2	4	3200	21632	C#2	4	4608	18432
		C4	4	8576		F#3	4	6144		C#3	4	4608	
		C5	5	8576		F#4	5	6144		C#4	5	4608	
		C6	0	8576		F#5	0	6144		C#5	0	4608	



eSA Series

APPLICATION NOTES

	Pad 6 (metallic) 0.25s	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2432	9600	
		C4	4	4352		F#3	14	3072		C#3	4	2432		
		C5	5	4352		F#4	14	3072		C#4	5	2432		
		C6	3	4352		F#5	14	3072		C#5	0	2304		
94	Pad 7 (halo) 2s	C3	14	33792	135168	F#2	14	23936	95744	C#2	14	17920	71808	
		C4	14	33792		F#3	14	23936		C#3	14	17920		
		C5	14	33792		F#4	10	23936		C#4	14	17920		
		C6	14	33792		F#5	10	23936		C#5	14	18048		
	Pad 7 (halo) 1.5s	C3	6	25472	101760	F#2	14	18048	72192	C#2	6	13568	54272	
		C4	6	25472		F#3	14	18048		C#3	6	13568		
		C5	6	25472		F#4	14	18048		C#4	6	13568		
		C6	6	25344		F#5	14	18048		C#5	13	13568		
	Pad 7 (halo) 0.8s	C3	4	13568	54400	F#2	4	9728	38784	C#2	4	7296	29184	
		C4	4	13568		F#3	4	9600		C#3	4	7296		
		C5	5	13568		F#4	5	9728		C#4	5	7296		
		C6	5	13696		F#5	5	9728		C#5	5	7296		
	Pad 0.5s	C3	4	8576	34304	F#2	4	6144	24576	C#2	4	4608	18432	
		C4	4	8576		F#3	4	6144		C#3	4	4608		
		C5	5	8576		F#4	5	6144		C#4	5	4608		
		C6	0	8576		F#5	0	6144		C#5	0	4608		
	Pad 7 (halo) 0.25s	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2432	9472	
		C4	4	4352		F#3	14	3072		C#3	4	2432		
		C5	5	4352		F#4	14	3072		C#4	5	2304		
		C6	3	4352		F#5	14	3072		C#5	0	2304		
	95	Pad 8 (sweep) 2s	C3	14	33792	135168	F#2	14	23936	95744	C#2	14	17920	71808
			C4	14	33792		F#3	14	23936		C#3	14	17920	
			C5	14	33792		F#4	14	23936		C#4	14	18048	
			C6	14	33792		F#5	10	23936		C#5	14	17920	
		Pad 8 (sweep) 1.5s	C3	6	25472	101632	F#2	14	18048	72192	C#2	6	13568	54272
			C4	6	25344		F#3	14	18048		C#3	6	13568	
			C5	6	25344		F#4	14	18048		C#4	6	13568	
			C6	6	25472		F#5	14	18048		C#5	6	13568	
Pad 8 (sweep) 0.8s		C3	4	13568	54272	F#2	4	9728	38784	C#2	4	7296	29184	
		C4	4	13568		F#3	4	9600		C#3	4	7296		
		C5	5	13568		F#4	5	9728		C#4	5	7296		
		C6	5	13568		F#5	5	9728		C#5	0	7296		



eSA Series

APPLICATION NOTES

	Pad 8 (sweep) 0.5s	C3	4	8576	34304	F#2	14	6144	24576	C#2	4	4608	18432	
		C4	4	8576		F#3	14	6144		C#3	4	4608		
		C5	5	8576		F#4	14	6144		C#4	5	4608		
		C6	0	8576		F#5	14	6144		C#5	0	4608		
	Pad 8 (sweep) 0.25s	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2304	9344	
		C4	4	4352		F#3	14	3072		C#3	4	2304		
		C5	4	4352		F#4	14	3072		C#4	5	2304		
		C6	3	4352		F#5	14	3072		C#5	0	2432		
96	FX 1 (rain) 2s	C3	14	33792	126720	F#2	14	23936	95744	C#2	14	18048	71936	
		C4	14	25344		F#3	14	23936		C#3	14	18048		
		C5	14	33792		F#4	14	23936		C#4	14	17920		
		C6	10	33792		F#5	10	23936		C#5	14	17920		
	FX 1 (rain) 1.5s	C3	6	25472	101888	F#2	14	18048	72192	C#2	6	13568	54272	
		C4	6	25472		F#3	14	18048		C#3	6	13568		
		C5	6	25472		F#4	14	18048		C#4	6	13568		
		C6	6	25472		F#5	14	18048		C#5	13	13568		
	FX 1 (rain) 0.8s	C3	4	13568	54272	F#2	4	9728	38912	C#2	4	7296	29184	
		C4	4	13568		F#3	4	9728		C#3	4	7296		
		C5	5	13568		F#4	5	9728		C#4	5	7296		
		C6	5	13568		F#5	5	9728		C#5	0	7296		
	FX 1 (rain) 0.5s	C3	4	8576	34304	F#2	4	6144	24576	C#2	4	4608	18432	
		C4	4	8576		F#3	4	6144		C#3	4	4608		
		C5	4	8576		F#4	5	6144		C#4	5	4608		
		C6	4	8576		F#5	0	6144		C#5	0	4608		
	FX 1 (rain) 0.25s	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2432	9728	
		C4	4	4352		F#3	14	3072		C#3	4	2432		
		C5	5	4352		F#4	14	3072		C#4	5	2432		
		C6	3	4352		F#5	14	3072		C#5	0	2432		
	97	FX 2 (soundtrack) 2s	C3	14	33792	135168	F#2	14	23936	95744	C#2	14	17920	71808
			C4	14	33792		F#3	14	23936		C#3	14	17920	
			C5	14	33792		F#4	14	23936		C#4	14	18048	
			C6	14	33792		F#5	14	23936		C#5	14	17920	
FX 2 (soundtrack) 1.5s		C3	6	25472	101632	F#2	14	18048	72192	C#2	6	13568	54272	
		C4	6	25344		F#3	14	18048		C#3	6	13568		
		C5	6	25472		F#4	14	18048		C#4	6	13568		
		C6	6	25344		F#5	14	18048		C#5	6	13568		



eSA Series

APPLICATION NOTES

98	FX 2 (soundtrack) 0.8s	C3	4	13568	54400	F#2	4	9728	38912	C#2	4	7296	29184
		C4	4	13568		F#3	4	9728		C#3	4	7296	
		C5	5	13568		F#4	5	9728		C#4	5	7296	
		C6	5	13696		F#5	5	9728		C#5	5	7296	
	FX 2 (soundtrack) 0.5s	C3	4	8576	34304	F#2	14	6144	24576	C#2	4	4608	18432
		C4	4	8576		F#3	14	6144		C#3	4	4608	
		C5	13	8576		F#4	14	6144		C#4	5	4608	
		C6	13	8576		F#5	14	6144		C#5	0	4608	
	FX 2 (soundtrack) 0.25s	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2304	9344
		C4	4	4352		F#3	14	3072		C#3	4	2432	
		C5	4	4352		F#4	14	3072		C#4	5	2304	
		C6	3	4352		F#5	14	3072		C#5	0	2304	
99	FX 3 (crystal) 2s	C3	x	0	0	F#2	x	0	0	C#2	14	18048	71808
		C4	x	0		F#3	x	0		C#3	14	17920	
		C5	x	0		F#4	x	0		C#4	14	17920	
		C6	x	0		F#5	x	0		C#5	14	17920	
	FX 3 (crystal) 1.5s	C3	6	25472	101632	F#2	14	18048	72192	C#2	6	13568	54272
		C4	6	25472		F#3	14	18048		C#3	6	13568	
		C5	6	25344		F#4	14	18048		C#4	6	13568	
		C6	6	25344		F#5	14	18048		C#5	13	13568	
	FX 3 (crystal) 0.8s	C3	4	13696	54400	F#2	4	9600	38656	C#2	4	7296	29184
		C4	4	13568		F#3	4	9728		C#3	4	7296	
		C5	5	13568		F#4	5	9600		C#4	5	7296	
		C6	5	13568		F#5	5	9728		C#5	5	7296	
	FX 3 (crystal) 0.5s	C3	5	8576	34304	F#2	14	6144	24576	C#2	4	4608	18432
		C4	5	8576		F#3	14	6144		C#3	4	4608	
		C5	5	8576		F#4	14	6144		C#4	5	4608	
		C6	0	8576		F#5	14	6144		C#5	0	4608	
FX 3 (crystal) 0.25s	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2432	9600	
	C4	4	4352		F#3	14	3072		C#3	4	2304		
	C5	4	4352		F#4	14	3072		C#4	5	2432		
	C6	3	4352		F#5	14	3072		C#5	0	2432		
99	FX 4 (atmosphere) 2s	C3	14	25344	126720	F#2	14	23936	95744	C#2	14	17920	71808
		C4	14	33792		F#3	14	23936		C#3	14	18048	
		C5	14	33792		F#4	14	23936		C#4	14	17920	
		C6	14	33792		F#5	14	23936		C#5	14	17920	



eSA Series

APPLICATION NOTES

100	FX 4 (atmosphere) 1.5s	C3	6	25344	101632	F#2	14	18048	72192	C#2	6	13568	54272
		C4	6	25472		F#3	14	18048		C#3	6	13568	
		C5	6	25472		F#4	14	18048		C#4	6	13568	
		C6	6	25344		F#5	14	18048		C#5	6	13568	
	FX 4 (atmosphere) 0.8s	C3	4	13568	54272	F#2	4	9728	38656	C#2	4	7296	29184
		C4	4	13568		F#3	4	9600		C#3	4	7296	
		C5	5	13568		F#4	5	9600		C#4	5	7296	
		C6	5	13568		F#5	5	9728		C#5	5	7296	
	FX 4 (atmosphere) 0.5s	C3	4	8576	34304	F#2	14	6144	24448	C#2	4	4608	18432
		C4	4	8576		F#3	14	6144		C#3	4	4608	
		C5	4	8576		F#4	14	6144		C#4	5	4608	
		C6	4	8576		F#5	14	6016		C#5	0	4608	
	FX 4 (atmosphere) 0.25s	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2304	9600
		C4	4	4352		F#3	14	3072		C#3	4	2432	
		C5	0	4352		F#4	14	3072		C#4	5	2432	
		C6	0	4352		F#5	14	3072		C#5	0	2432	
	FX 5 (brightness) 2s	C3	14	33792	135168	F#2	10	23936	95744	C#2	14	17920	71680
		C4	10	33792		F#3	10	23936		C#3	14	17920	
		C5	10	33792		F#4	10	23936		C#4	14	17920	
		C6	10	33792		F#5	10	23936		C#5	14	17920	
	FX 5 (brightness) 1.5s	C3	6	25472	101632	F#2	14	18048	72192	C#2	6	13568	54272
		C4	6	25472		F#3	14	18048		C#3	6	13568	
		C5	6	25344		F#4	14	18048		C#4	6	13568	
		C6	6	25344		F#5	14	18048		C#5	13	13568	
	FX 5 (brightness) 0.8s	C3	4	13568	54272	F#2	4	9728	38912	C#2	4	7296	29184
		C4	4	13568		F#3	4	9728		C#3	4	7296	
		C5	5	13568		F#4	5	9728		C#4	5	7296	
		C6	5	13568		F#5	5	9728		C#5	5	7296	
	FX 5 (brightness) 0.5s	C3	4	8576	34304	F#2	14	6144	24576	C#2	4	4608	18432
		C4	4	8576		F#3	14	6144		C#3	4	4608	
		C5	5	8576		F#4	14	6144		C#4	5	4608	
		C6	0	8576		F#5	14	6144		C#5	0	4608	
	FX 5 (brightness) 0.25s	C3	4	4352	17408	F#2	10	3072	12288	C#2	4	2304	9216
		C4	4	4352		F#3	10	3072		C#3	4	2304	
		C5	0	4352		F#4	10	3072		C#4	5	2304	
		C6	0	4352		F#5	10	3072		C#5	0	2304	



eSA Series

APPLICATION NOTES

101	FX 6 (goblins) 2s	C3	14	33792	135168	F#2	14	23936	95744	C#2	14	17920	71808
		C4	14	33792		F#3	14	23936		C#3	14	18048	
		C5	14	33792		F#4	14	23936		C#4	14	17920	
		C6	14	33792		F#5	14	23936		C#5	14	17920	
	FX 6 (goblins) 1.5s	C3	6	25472	101760	F#2	14	18048	72192	C#2	6	13568	54272
		C4	6	25472		F#3	14	18048		C#3	6	13568	
		C5	6	25344		F#4	14	18048		C#4	6	13568	
		C6	6	25472		F#5	14	18048		C#5	13	13568	
	FX 6 (goblins) 0.8s	C3	4	13696	54528	F#2	4	9728	38656	C#2	4	7296	29184
		C4	4	13568		F#3	4	9728		C#3	4	7296	
		C5	5	13696		F#4	5	9600		C#4	5	7296	
		C6	5	13568		F#5	5	9600		C#5	5	7296	
	FX 6 (goblins) 0.5s	C3	4	8576	34304	F#2	14	6144	24576	C#2	4	4608	18432
		C4	4	8576		F#3	14	6144		C#3	4	4608	
		C5	5	8576		F#4	14	6144		C#4	5	4608	
		C6	0	8576		F#5	14	6144		C#5	0	4608	
	FX 6 (goblins) 0.25s	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2432	9344
		C4	4	4352		F#3	14	3072		C#3	4	2304	
		C5	0	4352		F#4	14	3072		C#4	5	2304	
		C6	0	4352		F#5	14	3072		C#5	0	2304	
102	FX 7 (Echo Drops) 2s	C3	14	33792	135168	F#2	14	23936	95744	C#2	14	17920	71808
		C4	14	33792		F#3	14	23936		C#3	14	17920	
		C5	14	33792		F#4	14	23936		C#4	14	18048	
		C6	14	33792		F#5	14	23936		C#5	14	17920	
	FX 7 (Echo Drops) 1.5s	C3	6	25472	101888	F#2	14	18048	72192	C#2	6	13568	54272
		C4	6	25472		F#3	14	18048		C#3	6	13568	
		C5	6	25472		F#4	14	18048		C#4	6	13568	
		C6	6	25472		F#5	14	18048		C#5	13	13568	
	FX 7 (Echo Drops) 0.8s	C3	4	13568	54400	F#2	4	9728	38784	C#2	4	7296	29184
		C4	4	13696		F#3	4	9728		C#3	4	7296	
		C5	5	13568		F#4	5	9600		C#4	5	7296	
		C6	5	13568		F#5	5	9728		C#5	5	7296	
	FX 7 (Echo Drops) 0.5s	C3	4	8576	34304	F#2	14	6144	24576	C#2	4	4608	18432
		C4	4	8576		F#3	14	6144		C#3	4	4608	
		C5	5	8576		F#4	14	6144		C#4	5	4608	
		C6	0	8576		F#5	14	6144		C#5	0	4608	



eSA Series

APPLICATION NOTES

	FX 7 (Echo Drops) 0.25s	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2432	9472	
		C4	4	4352		F#3	14	3072		C#3	4	2304		
		C5	0	4352		F#4	14	3072		C#4	5	2304		
		C6	0	4352		F#5	14	3072		C#5	0	2432		
103	FX 8 (sci-fiction) 2s	C3	14	33792	135168	F#2	14	23936	95744	C#2	14	17920	71680	
		C4	14	33792		F#3	14	23936		C#3	14	17920		
		C5	14	33792		F#4	14	23936		C#4	14	17920		
		C6	14	33792		F#5	14	23936		C#5	14	17920		
	FX 8 (sci-fiction) 1.5s	C3	6	25472	101632	F#2	14	18048	72192	C#2	6	13568	54272	
		C4	6	25344		F#3	14	18048		C#3	6	13568		
		C5	6	25472		F#4	14	18048		C#4	6	13568		
		C6	6	25344		F#5	14	18048		C#5	13	13568		
	FX 8 (sci-fiction) 0.8s	C3	4	13696	54400	F#2	4	9600	38656	C#2	4	7296	29184	
		C4	4	13568		F#3	4	9728		C#3	4	7296		
		C5	5	13568		F#4	5	9600		C#4	5	7296		
		C6	5	13568		F#5	5	9728		C#5	5	7296		
	FX 8 (sci-fiction) 0.5s	C3	4	8576	34304	F#2	14	6144	24576	C#2	4	4608	18432	
		C4	4	8576		F#3	14	6144		C#3	4	4608		
		C5	5	8576		F#4	14	6144		C#4	5	4608		
		C6	0	8576		F#5	14	6144		C#5	0	4608		
	FX 8 (sci-fiction) 0.25s	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2304	9344	
		C4	4	4352		F#3	14	3072		C#3	4	2432		
		C5	0	4352		F#4	14	3072		C#4	5	2304		
		C6	12	4352		F#5	14	3072		C#5	0	2304		
	104	Sitar	C3	8	2432	4992	F#2	8	1792	3584	C#2	8	1152	2432
			C4	8	1280		F#3	8	896		C#3	8	640	
			C5	8	768		F#4	8	512		C#4	8	384	
			C6	8	512		F#5	8	384		C#5	8	256	
	105	Banjo	C3	4	2560	5760	F#2	4	1664	3968	C#2	x	0	3072
			C4	4	1664		F#3	4	1152		C#3	4	1664	
			C5	4	1024		F#4	4	768		C#4	4	896	
			C6	4	512		F#5	4	384		C#5	4	512	
106	Shamisen	C3	6	1792	4736	F#2	6	768	2944	C#2	6	896	2432	
		C4	6	1280		F#3	6	896		C#3	6	640		
		C5	6	1152		F#4	6	896		C#4	6	512		
		C6	6	512		F#5	6	384		C#5	6	384		



eSA Series

APPLICATION NOTES

107	koto	C3	4	2176	4736	F#2	4	1536	3200	C#2	4	1024	2176
		C4	4	1152		F#3	4	768		C#3	4	512	
		C5	4	768		F#4	4	512		C#4	4	384	
		C6	4	640		F#5	4	384		C#5	4	256	
108	kalimba	C3	4	1920	4480	F#2	4	1536	3456	C#2	4	1152	2944
		C4	4	1408		F#3	4	1024		C#3	4	896	
		C5	4	640		F#4	4	512		C#4	4	512	
		C6	4	512		F#5	4	384		C#5	4	384	
109	Bag pipe	C3	10	1280	3584	F#2	10	1664	3456	C#2	10	1152	2432
		C4	10	1152		F#3	10	896		C#3	10	640	
		C5	10	640		F#4	10	512		C#4	10	384	
		C6	10	512		F#5	10	384		C#5	10	256	
110	Fiddle	C3	10	3072	6784	F#2	10	2304	5120	C#2	10	1536	3584
		C4	10	1664		F#3	10	1280		C#3	10	896	
		C5	10	1152		F#4	10	896		C#4	10	640	
		C6	10	896		F#5	10	640		C#5	10	512	
111	Shanai	C3	13	640	2176	F#2	13	512	1664	C#2	13	384	1280
		C4	13	384		F#3	13	256		C#3	13	256	
		C5	13	640		F#4	13	512		C#4	13	384	
		C6	13	512		F#5	13	384		C#5	13	256	
112	Tinkle Bell	C3	x	0	0	F#2	4	10112	36736	C#2	4	6400	23680
		C4	x	0		F#3	4	10112		C#3	4	6400	
		C5	x	0		F#4	4	10112		C#4	4	5888	
		C6	x	0		F#5	4	6400		C#5	4	4992	
	Tinkle Bell 1.5S	C3	x	0	25344	F#2	x	0	0	C#2	x	0	0
		C4	14	25344		F#3	x	0		C#3	x	0	
		C5	x	0		F#4	x	0		C#4	x	0	
		C6	x	0		F#5	x	0		C#5	x	0	
	Tinkle Bell 0.8S	C3	x	0	27136	F#2	x	0	0	C#2	x	0	0
		C4	14	13568		F#3	x	0		C#3	x	0	
		C5	14	13568		F#4	x	0		C#4	x	0	
		C6	x	0		F#5	x	0		C#5	x	0	
	Tinkle Bell 0.5S	C3	x	0	25728	F#2	x	0	0	C#2	x	0	0
		C4	6	8576		F#3	x	0	0	C#3	x	0	
		C5	6	8576		F#4	x	0	0	C#4	x	0	
		C6	6	8576		F#5	x	0	0	C#5	x	0	



eSA Series

APPLICATION NOTES

	Tinkle Bell 0.25S	C3	x	0	8704	F#2	x	0	0	C#2	x	0	0
		C4	14	4352		F#3	x	0		C#3	x	0	
		C5	x	0		F#4	x	0		C#4	x	0	
		C6	14	4352		F#5	x	0		C#5	x	0	
113	Agogo	C3	6	6400	14080	F#2	4	4736	10368	C#2	8	3072	7296
		C4	6	4352		F#3	4	3200		C#3	8	2176	
		C5	6	1920		F#4	4	1408		C#4	8	1152	
		C6	6	1408		F#5	4	1024		C#5	6	896	
114	Steel Drum	C3	4	4864	10624	F#2	4	3584	7936	C#2	6	2560	6656
		C4	4	2688		F#3	4	2048		C#3	4	1792	
		C5	4	2048		F#4	4	1536		C#4	4	1536	
		C6	4	1024		F#5	0	768		C#5	6	768	
115	Woodblock	C3	14	1536	4096	F#2	4	1152	3072	C#2	14	768	2176
		C4	14	1152		F#3	4	896		C#3	14	640	
		C5	4	768		F#4	4	512		C#4	14	384	
		C6	4	640		F#5	4	512		C#5	14	384	
116	Taiko Drum 2S	C3	x	0	0	F#2	x	0	0	C#2	x	0	0
		C4	x	0		F#3	x	0		C#3	x	0	
		C5	x	0		F#4	x	0		C#4	x	0	
		C6	x	0		F#5	x	0		C#5	x	0	
	Taiko Drum 1.5S	C3	x	0	0	F#2	x	0	0	C#2	x	0	0
		C4	x	0		F#3	x	0		C#3	x	0	
		C5	x	0		F#4	x	0		C#4	x	0	
		C6	x	0		F#5	x	0		C#5	x	0	
	Taiko Drum 0.8S	C3	4	13568	54272	F#2	4	9600	38656	C#2	4	7296	29184
		C4	4	13568		F#3	4	9728		C#3	4	7296	
		C5	5	13568		F#4	5	9600		C#4	5	7296	
		C6	5	13568		F#5	5	9728		C#5	5	7296	
	Taiko Drum 0.5S	C3	4	8576	34304	F#2	14	6144	24576	C#2	4	4608	18432
		C4	4	8576		F#3	14	6144		C#3	4	4608	
		C5	5	8576		F#4	14	6144		C#4	5	4608	
		C6	0	8576		F#5	14	6144		C#5	0	4608	
Taiko Drum 0.25S	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2304	9344	
	C4	4	4352		F#3	14	3072		C#3	4	2432		
	C5	0	4352		F#4	14	3072		C#4	5	2304		
	C6	12	4352		F#5	14	3072		C#5	0	2304		



eSA Series

APPLICATION NOTES

117	Melodic Tom 2S	C3	x	0	0	F#2	x	0	0	C#2	x	0	0
		C4	x	0		F#3	x	0		C#3	x	0	
		C5	x	0		F#4	x	0		C#4	x	0	
		C6	x	0		F#5	x	0		C#5	x	0	
	Melodic Tom 1.5S	C3	x	0	0	F#2	x	0	0	C#2	x	0	0
		C4	x	0		F#3	x	0		C#3	x	0	
		C5	x	0		F#4	x	0		C#4	x	0	
		C6	x	0		F#5	x	0		C#5	x	0	
	Melodic Tom 0.8S	C3	4	13568	54272	F#2	x	0	0	C#2	4	7296	29184
		C4	4	13568		F#3	x	0		C#3	4	7296	
		C5	5	13568		F#4	x	0		C#4	5	7296	
		C6	5	13568		F#5	x	0		C#5	5	7296	
	Melodic Tom 0.5S	C3	4	8576	34304	F#2	14	6144	24576	C#2	4	4608	18432
		C4	4	8576		F#3	14	6144		C#3	4	4608	
		C5	5	8576		F#4	14	6144		C#4	5	4608	
		C6	0	8576		F#5	14	6144		C#5	0	4608	
Melodic Tom 0.25S	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2304	9216	
	C4	4	4352		F#3	14	3072		C#3	4	2304		
	C5	0	4352		F#4	14	3072		C#4	5	2304		
	C6	12	4352		F#5	14	3072		C#5	0	2304		
118	Synth Drum 2S	C3	x	0	0	F#2	x	0	0	C#2	x	0	0
		C4	x	0		F#3	x	0		C#3	x	0	
		C5	x	0		F#4	x	0		C#4	x	0	
		C6	x	0		F#5	x	0		C#5	x	0	
	Synth Drum 1.5S	C3	x	0	0	F#2	x	0	0	C#2	x	0	0
		C4	x	0		F#3	x	0		C#3	x	0	
		C5	x	0		F#4	x	0		C#4	x	0	
		C6	x	0		F#5	x	0		C#5	x	0	
	Synth Drum 0.8S	C3	x	0	0	F#2	x	0	0	C#2	x	0	0
		C4	x	0		F#3	x	0		C#3	x	0	
		C5	x	0		F#4	x	0		C#4	x	0	
		C6	x	0		F#5	x	0		C#5	x	0	
	Synth Drum 0.5S	C3	4	8576	34304	F#2	14	6144	24576	C#2	4	4608	18432
		C4	4	8576		F#3	14	6144		C#3	4	4608	
		C5	5	8576		F#4	14	6144		C#4	5	4608	
		C6	0	8576		F#5	14	6144		C#5	0	4608	



eSA Series

APPLICATION NOTES

	Synth Drum 0.25S	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2304	9344
		C4	4	4352		F#3	14	3072		C#3	4	2304	
		C5	0	4352		F#4	14	3072		C#4	5	2432	
		C6	12	4352		F#5	14	3072		C#5	0	2304	
119	Reverse Cymbal 1.5S	C3	x	0	0	F#2	x	0	0	C#2	6	13568	52864
		C4	x	0		F#3	x	0		C#3	6	13568	
		C5	x	0		F#4	x	0		C#4	6	13184	
		C6	x	0		F#5	x	0		C#5	13	12544	
	Reverse Cymbal 0.8S	C3	4	13696	54400	F#2	4	9728	38528	C#2	4	7296	29184
		C4	4	13568		F#3	4	9600		C#3	4	7296	
		C5	5	13568		F#4	5	9600		C#4	5	7296	
		C6	5	13568		F#5	5	9600		C#5	5	7296	
	Reverse Cymbal 0.5S	C3	4	8576	34304	F#2	14	6144	24576	C#2	4	4608	18432
		C4	4	8576		F#3	14	6144		C#3	4	4608	
		C5	5	8576		F#4	14	6144		C#4	5	4608	
		C6	0	8576		F#5	14	6144		C#5	0	4608	
	Reverse Cymbal 0.25S	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2304	9472
		C4	4	4352		F#3	14	3072		C#3	4	2432	
		C5	0	4352		F#4	14	3072		C#4	5	2432	
		C6	0	4352		F#5	14	3072		C#5	0	2304	
120	Guitar Fret Noise 0.25S	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2432	6656
		C4	4	4352		F#3	14	3072		C#3	4	1792	
		C5	0	4352		F#4	14	3072		C#4	5	1280	
		C6	12	4352		F#5	14	3072		C#5	0	1152	
121	Breath Noise 0.8S	C3	x	0	0	F#2	x	0	0	C#2	4	7296	29184
		C4	x	0		F#3	x	0		C#3	4	7296	
		C5	x	0		F#4	x	0		C#4	5	7296	
		C6	x	0		F#5	x	0		C#5	5	7296	
	Breath Noise 0.5S	C3	x	0	0	F#2	x	0	0	C#2	4	4608	18432
		C4	x	0		F#3	x	0		C#3	4	4608	
		C5	x	0		F#4	x	0		C#4	5	4608	
		C6	x	0		F#5	x	0		C#5	0	4608	
	Breath Noise 0.25S	C3	4	4352	17408	F#2	14	3072	12288	C#2	4	2304	9344
		C4	4	4352		F#3	14	3072		C#3	4	2432	
		C5	0	4352		F#4	14	3072		C#4	5	2304	
		C6	12	4352		F#5	14	3072		C#5	0	2304	



eSA Series

APPLICATION NOTES

122	Seashore 2S	C3	13	33920	135680	F#2	13	24064	96256	C#2	14	18048	72192
		C4	13	33920		F#3	13	24064		C#3	14	18048	
		C5	13	33920		F#4	13	24064		C#4	14	18048	
		C6	13	33920		F#5	13	24064		C#5	14	18048	
	Seashore 1.5S	C3	6	25472	102400	F#2	6	18048	72192	C#2	6	13568	54272
		C4	6	25728		F#3	6	18048		C#3	6	13568	
		C5	6	25600		F#4	6	18048		C#4	6	13568	
		C6	6	25600		F#5	6	18048		C#5	10	13568	
	Seashore 0.8S	C3	4	13696	54784	F#2	6	9728	38912	C#2	13	7296	29184
		C4	4	13696		F#3	6	9728		C#3	13	7296	
		C5	4	13696		F#4	6	9728		C#4	10	7296	
		C6	4	13696		F#5	6	9728		C#5	10	7296	
	Seashore 0.5S	C3	6	8576	34304	F#2	6	6144	24576	C#2	13	4736	18944
		C4	6	8576		F#3	6	6144		C#3	13	4736	
		C5	6	8576		F#4	6	6144		C#4	10	4736	
		C6	6	8576		F#5	6	6144		C#5	10	4736	
	Seashore 0.25S	C3	3	4480	17920	F#2	6	3200	12800	C#2	4	2432	9728
		C4	3	4480		F#3	6	3200		C#3	4	2432	
		C5	3	4480		F#4	6	3200		C#4	4	2432	
		C6	3	4480		F#5	6	3200		C#5	10	2432	
123	Bird Tweet 2S	C3	13	33920	135808	F#2	13	23936	96000	C#2	14	18048	72064
		C4	13	33920		F#3	13	23936		C#3	14	18048	
		C5	13	34048		F#4	13	24064		C#4	14	17920	
		C6	13	33920		F#5	13	24064		C#5	14	18048	
	Bird Tweet 1.5S	C3	6	25600	101632	F#2	13	17920	72064	C#2	14	13056	53760
		C4	10	25472		F#3	13	18048		C#3	14	13568	
		C5	10	25472		F#4	13	18048		C#4	14	13568	
		C6	10	25088		F#5	13	18048		C#5	14	13568	
	Bird Tweet 0.8S	C3	13	13568	54656	F#2	13	9600	38784	C#2	2	7296	30080
		C4	13	13696		F#3	13	9472		C#3	2	7296	
		C5	13	13696		F#4	13	9856		C#4	2	7296	
		C6	13	13696		F#5	13	9856		C#5	2	8192	
	Bird Tweet 0.5S	C3	13	8704	34688	F#2	7	6144	24576	C#2	7	4608	18816
		C4	13	8704		F#3	7	6144		C#3	7	4480	
		C5	13	8704		F#4	7	6144		C#4	7	4608	
		C6	13	8576		F#5	7	6144		C#5	7	5120	



eSA Series

APPLICATION NOTES

	Bird Tweet 0.25S	C3	13	4352	17664	F#2	7	3328	12672	C#2	7	2432	9728
		C4	13	4608		F#3	7	3200		C#3	7	2432	
		C5	13	4352		F#4	13	3200		C#4	4	2432	
		C6	13	4352		F#5	13	2944		C#5	4	2432	
124	Telephone Ring 2S	C3	10	33920	135680	F#2	10	24064	96256	C#2	10	18048	72064
		C4	10	33920		F#3	10	24064		C#3	10	18048	
		C5	10	33920		F#4	10	24064		C#4	10	18048	
		C6	10	33920		F#5	10	24064		C#5	10	17920	
	Telephone Ring 1.5S	C3	10	25600	102016	F#2	6	18048	72576	C#2	6	13568	54400
		C4	10	25472		F#3	6	18176		C#3	6	13568	
		C5	10	25472		F#4	6	18176		C#4	6	13696	
		C6	10	25472		F#5	6	18176		C#5	6	13568	
	Telephone Ring 0.8S	C3	10	13696	54784	F#2	10	9728	39040	C#2	10	7296	29184
		C4	10	13696		F#3	10	9728		C#3	10	7296	
		C5	10	13696		F#4	10	9728		C#4	10	7296	
		C6	10	13696		F#5	10	9856		C#5	10	7296	
	Telephone Ring 0.5S	C3	10	8704	34432	F#2	10	6144	24704	C#2	10	4608	19072
		C4	10	8576		F#3	10	6272		C#3	10	5248	
		C5	10	8576		F#4	10	6144		C#4	10	4480	
		C6	10	8576		F#5	10	6144		C#5	10	4736	
	Telephone Ring 0.25S	C3	10	4352	17664	F#2	14	3200	12800	C#2	12	2432	10240
		C4	10	4480		F#3	14	3200		C#3	12	2688	
		C5	10	4352		F#4	14	3200		C#4	12	2688	
		C6	10	4480		F#5	14	3200		C#5	12	2432	
125	Helicopter 2S	C3	10	33920	135680	F#2	10	24064	96256	C#2	14	18176	72704
		C4	10	33920		F#3	10	24064		C#3	14	18176	
		C5	10	33792		F#4	10	24064		C#4	14	18304	
		C6	10	34048		F#5	10	24064		C#5	14	18048	
	Helicopter 1.5S	C3	10	25472	101632	F#2	14	18048	72192	C#2	14	13824	54400
		C4	10	25472		F#3	14	18048		C#3	14	13440	
		C5	10	25600		F#4	14	18048		C#4	14	13568	
		C6	10	25088		F#5	14	18048		C#5	14	13568	
	Helicopter 0.8S	C3	10	13696	54784	F#2	10	9600	38784	C#2	14	8192	30336
		C4	10	13696		F#3	10	9728		C#3	14	7296	
		C5	10	13696		F#4	13	9728		C#4	14	7424	
		C6	10	13696		F#5	13	9728		C#5	14	7424	



eSA Series

APPLICATION NOTES

	Helicopter 0.5S	C3	10	8576	34432	F#2	11	6144	23680	C#2	11	4736	19200
		C4	10	8576		F#3	11	6144		C#3	11	4992	
		C5	10	8704		F#4	11	5248		C#4	11	4736	
		C6	10	8576		F#5	11	6144		C#5	11	4736	
	Helicopter 0.25S	C3	0	4352	17408	F#2	12	3200	12800	C#2	12	2432	9728
		C4	0	4352		F#3	12	3200		C#3	12	2432	
		C5	0	4352		F#4	12	3200		C#4	12	2432	
		C6	0	4352		F#5	12	3200		C#5	12	2432	
126	Applause 2S	C3	10	33920	135680	F#2	13	24064	96256	C#2	10	18048	72192
		C4	10	33920		F#3	13	24064		C#3	10	18048	
		C5	10	33920		F#4	13	24064		C#4	13	18048	
		C6	10	33920		F#5	13	24064		C#5	13	18048	
	Applause 1.5S	C3	13	25600	102144	F#2	13	18048	72320	C#2	10	13568	54272
		C4	13	25472		F#3	13	18048		C#3	10	13568	
		C5	13	25600		F#4	13	18176		C#4	13	13568	
		C6	13	25472		F#5	13	18048		C#5	13	13568	
	Applause 0.8S	C3	6	13696	54784	F#2	6	9728	38912	C#2	10	7296	29184
		C4	6	13696		F#3	6	9728		C#3	10	7296	
		C5	6	13696		F#4	6	9728		C#4	13	7296	
		C6	6	13696		F#5	6	9728		C#5	13	7296	
	Applause 0.5S	C3	0	8576	34304	F#2	0	6272	24704	C#2	10	4736	18944
		C4	0	8576		F#3	0	6144		C#3	10	4736	
		C5	0	8576		F#4	0	6144		C#4	13	4736	
		C6	0	8576		F#5	0	6144		C#5	13	4736	
	Applause 0.25S	C3	0	4480	17664	F#2	6	3328	12928	C#2	10	2432	9728
		C4	0	4352		F#3	6	3200		C#3	10	2432	
		C5	0	4352		F#4	6	3200		C#4	13	2432	
		C6	0	4480		F#5	6	3200		C#5	13	2432	
127	Gunshot 2S	C3	x	0	0	F#2	x	0	0	C#2	10	18048	51072
		C4	x	0		F#3	x	0		C#3	10	18048	
		C5	x	0		F#4	x	0		C#4	13	14976	
		C6	x	0		F#5	x	0		C#5	x	0	
	Gunshot 1.5S	C3	13	25472	101888	F#2	6	18048	72192	C#2	10	13568	40704
		C4	13	25472		F#3	6	18048		C#3	10	13568	
		C5	10	25472		F#4	6	18048		C#4	13	13568	
		C6	10	25472		F#5	6	18048		C#5	x	0	



eSA Series

APPLICATION NOTES

	Gunshot 0.8S	C3	6	13696	54784	F#2	6	9728	38912	C#2	10	7296	29184
		C4	6	13696		F#3	6	9728		C#3	10	7296	
		C5	6	13696		F#4	6	9728		C#4	13	7296	
		C6	8	13696		F#5	6	9728		C#5	13	7296	
	Gunshot 0.5S	C3	4	8576	34432	F#2	6	6144	24576	C#2	13	4736	19456
		C4	4	8576		F#3	6	6144		C#3	13	4736	
		C5	4	8704		F#4	6	6144		C#4	13	4736	
		C6	4	8576		F#5	6	6144		C#5	13	5248	
	Gunshot 0.25S	C3	4	4352	17536	F#2	0	3200	12800	C#2	0	2432	10240
		C4	4	4352		F#3	0	3200		C#3	0	2688	
		C5	4	4480		F#4	0	3200		C#4	0	2688	
		C6	4	4352		F#5	0	3200		C#5	1	2432	



2.0 Percussion Size List:

No.	Percussive Organ	H	M	L
35	Acoustic Bass Drum	2296	1912	1528
36	Bass Drum	2296	1912	1528
37	Side Drum	3192	2040	1656
38	Acoustic Snare	3064	2552	1912
39	Hand Clap	2808	2296	1656
40	Electric Snare	2808	2296	1784
41	Low Floor Tom	13560	8568	4472
42	Closed Hi-Hat	1784	1528	1400
43	High Floor Tom	6264	4216	3320
44	Pedal Hi-Hat	1912	1784	1784
45	Low Tom	4984	3320	2936
46	Open Hi Hat	11256	8568	6520
47	Low-Mid Tom	5368	4216	2680
48	Hi-Mid Tom	4728	4216	3064
49	Crash Cymbal 1	17912	12920	11512
50	High Tom	4216	3320	2936
51	Ride Cymbal 1	17656	15480	12024
52	Chinese Cymbal 1	16888	13048	10360
53	Ride Bell	16504	14072	9976
54	Tambourine	4088	3832	2808
55	Slash Cymbal	15352	13048	10488
56	Cowbell	4088	1912	1784
57	Crash Cymbal 2	19832	18680	16376
58	Vibraslap	16248	11256	8440
59	Ride Cymbal 2	18552	16376	13304
60	Hide Bongo	3960	2040	1784
61	Low Bongo	5752	1784	1656
62	Mute Hi Conga	1144	1144	1016
63	Open Hi Conga	2552	2680	2168
64	Low Conga	3576	2680	2296
65	High Timbale	7288	3832	3192
66	Low Timbale	8696	4856	4344
67	High Agogo	3448	2552	2040



eSA Series

APPLICATION NOTES

68	Low Agogo	3704	3192	2680
69	Cabasa	1912	1784	1656
70	Maracas	1784	1528	1144
71	Short Whistle	2552	2040	1656
72	Long Whistle	10232	7416	4984
73	Short Guiro	1528	1528	1400
74	Long Guiro	5496	4984	4600
75	Claves	1656	1656	1400
76	Hi Wood Block	2424	1656	1400
77	Low Wood Block	2424	1912	1528
78	Mute Cuica	2936	2680	2424
79	Open Cuica	5880	4472	4088
80	Mute Triangle	2808	2168	2040
81	Open Triangle	15096	12536	9080
83	Jingle Bell	7160	6008	4600